EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	0	("interfacesameservice").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/11 08:31
577	5269	(email adj1 messages or instant adj1 messages or calendar adj1 data) same (wireless or cellphone or cell\$4 adj1 phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:34
S78	205485	interface same service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:34
S79	2668774	compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:34
580	974	S79 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:34
381	35867	S79 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:35
582 582	486	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:35
583	1351	header same text same attach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:35
384	67	S79 same S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:35

	,		· ,	·		, ,
S85	2	S82 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:36
S86	17	("20030041110" "20030053448" "5557749" "6032197" "6112250" "6449658" "6785712").PN. OR ("7024460").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:38
S87	0	S86 and S83	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:47
S88	11	S86 and S79	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:47
S89	1	S86 and S80	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:48
S90	13	S86 and S78	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:51
S91	1	S86 and S77	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 08:51
S92	64	S79 same S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:52
S93	2	S84 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 08:52
S94	62	S92 not S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:42
S95	343	compress\$4 near3 header same (text or message) near3 compress \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:46
S96	20139	file near3 attach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:47
S97	42	S95 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:47
S98	249	initial adj2 (email or electronic adj1 mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:56

S99	873	reply\$4 near2 (record or history)	US-PGPUB; USPAT; USOCR;	OR	ON	2009/12/11 09:56
			EPO; JPO; DERWENT; IBM_TDB			09.30
S100	10	S98 and S99	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:57
S101	8	S79 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:57
S102	2	S79 same S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 09:57
S103	852	(email or electronic adj1 mail) near4 history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:01
S104	9	(email or electronic adj1 mail) near4 history near5 (compress\$4 or cod \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:02
S105	46	(email or electronic adj1 mail) and response near4 history with (compress\$4 or cod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:05
S106	171	(email or electronic adj1 mail) and response near4 (history or record) with (compress\$4 or cod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:06
S107	73	(email or electronic adj1 mail) and response near4 (history or record) near4 (compress\$4 or cod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:06
S108	0	replied adj2 (email or electronic adj1 mail) near4 (compress\$4 or cod \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:16
S111	132	replied adj2 (email or electronic adj1 mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:17

S112	24	(replied or responded or answered	US-PGPUB;	OR	ON	2009/12/11
-, 12	<u> </u>	or forwarded) adj2 (email or electronic adj1 mail) with (compress \$4 or cod\$4)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		<u> </u>	10:18
S113	185	(repl\$4 or respond\$4 or answer\$4 or forwar\$4) adj2 (email or electronic adj1 mail) with (compress \$4 or cod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:26
S114	161	S113 not S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:26
S115	7	(repl\$4 or respond\$4 or answer\$4 or forwar\$4) adj2 (email or electronic adj1 mail) with (compress \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:27
S116	46	(repl\$4 or respond\$4 or answer\$4 or forwar\$4) adj2 (email or electronic adj1 mail) with encod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:28
S117	27	(repl\$4 or respond\$4 or answer\$4 or forwar\$4) adj2 (email or electronic adj1 mail) same (compress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:28
S118	4	(index\$4 or flag\$4) with redundant with (previous or original or initial or received) adj2 (email or message or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:41
S119	17	(index\$4 or flag\$4 or point\$4) with redundant with (previous or original or initial or received) adj2 (email or message or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:41
S120	2718	(index\$4 or flag\$4 or pointer) with (previous or original or initial or received) adj2 (email or message or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:42
S121	78	(index\$4 or flag\$4 or point\$4) with (redundant or duplicat\$4 or repeated or repetitive) with (previous or original or initial or received) adj2 (email or message or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 10:43
S122	6	("2004/0044735").URPN.	USPAT	OR	ON	2009/12/11 10:55
S123	51	(email or electronic adj1 mail) near4 history with (reply\$4 or forward\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 16:15

S124	72	(email or electronic adj1 mail or e- mail) adj1 address with header with (compress\$4 or encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 16:16
S125	0	S123 and S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/11 16:16
S126	16	("20010026609" "20020133403" "6389455" "6405243" "6438583" "6651217").PN. OR ("6973481"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 16:49
S127	66723	wireless with (LAN or WAN)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 18:59
S128	39996	wireless near2 (LAN or WAN)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 18:59
S129	7623	wireless near2 (LAN or WAN) and compress\$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 18:59
S130	53	wireless near2 (LAN or WAN) and compress\$4 with email	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 19:00
S131	53	wireless near2 (LAN or WAN) and compress\$4 with email	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/11 19:00
S133	118	vincent and (mail or email or e-mail or electro\$4 adj1 mail) with (forward or reply)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 09:19
S134	3323	(redundan\$4 or duplicat\$4) same (previous\$2 or original\$2 or initial\$4 or received) adj2 (email or message or mail or e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 09:26
S135	0	S133 and S134	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 09:26
S136	1	repeatedly adj1 forwarded adj1 mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 09:26
S137	1124	(redundan\$4 or duplicat\$4 or pointer or offset or identification or ID) near4 ((previous\$2 or original\$2 or initial\$4 or received or sent) near2 (email or message or mail or e-mail or message or content)) same ((current\$2 or new\$2) near2 (email or message or mail or e-mail or message or content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:01

S138	536	(redundan\$4 or duplicat\$4 or pointer or offset or identification or ID) near4 ((previous\$2 or original\$2 or initial\$4 or received or sent) near2 (email or message or mail or e-mail or message or content)) with ((current\$2 or new\$2) near2 (email or message or mail or e-mail or message or content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:01
S139	3428129	compress\$4 or encod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:01
S140	255	S139 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:02
S141	584	S139 and S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:02
S142	889895	wireless or mobile adj2 phone or cell adj1 phone or celular adj1 phone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:03
S143	146	S142 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:03
S144	381	S142 and S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:04
S145	802925	server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:05
S146	123	S145 and S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:05
S147	344	S145 and S144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:05

		, ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	,	,
S148	64761	server with (mail or email or e-mail or electro\$4 adj1 mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:06
S149	61	S148 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:06
S150	91	S148 and S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:10
S151	7663	reply same forward	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:10
S152	28	S151 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:10
S153	37	S151 and S150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:10
S154	9	S153 not S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:21
S155	60	(redundan\$4 or duplicat\$4) with (pointer or offset or identification or ID) with ((previous\$2 or original\$2 or initial\$4 or received or sent) near2 (email or message or mail or e-mail or message or content)) same ((current\$2 or new\$2) near2 (email or message or mail or e-mail or message or content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:31
S156	43	S139 and S155	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:31

S157	37	S156 and S142	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:31
S158	10	S157 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:32
S159	1	S158 and S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 10:32

12/16/09 11:22:33 AM

C:\ Documents and Settings\ wchen\ My Documents\ EAST\ Workspaces\ 09902515b.wsp